

To: Moore, Kendall[moore.kendall@epa.gov]
From: Piplic, Devlin
Sent: Thur 3/10/2016 2:36:50 PM
Subject: Re: Canceled Event: EPA PCB Ballast Inspection @ Thu Mar 31, 2016 7am - 3pm (piplicd@monroe.wednet.edu)

Yes. Sorry there was a mistake with my invitation. When do you need the paperwork as well?

On Thu, Mar 10, 2016 at 6:28 AM, Moore, Kendall <moore.kendall@epa.gov> wrote:

Hey Devlin, got a little confused by the cancellation, we're still on for March 22-25 right?

From: piplicd@monroe.wednet.edu <piplicd@monroe.wednet.edu>
Sent: Wednesday, March 9, 2016 9:14:15 AM
To: Moore, Kendall; mannixj@monroe.wednet.edu
Subject: Canceled Event: EPA PCB Ballast Inspection @ Thu Mar 31, 2016 7am - 3pm (piplicd@monroe.wednet.edu)
When: Thursday, March 31, 2016 9:00 AM-5:00 PM.
Where: Sky Valley Education Center, 351 Short Columbia St, Monroe, WA 98272, United States

This event has been canceled and removed from your calendar.

EPA PCB Ballast Inspection

Our Communications Director is Rosemary O'Neil [360.804.2503](tel:360.804.2503)

When Thu Mar 31, 2016 7am – 3pm Pacific Time

Where Sky Valley Education Center, 351 Short Columbia St, Monroe, WA 98272, United States ([map](#))

Calendar piplicd@monroe.wednet.edu

Who • piplicd@monroe.wednet.edu - organizer

• moore.kendall@epa.gov

• mannixj@monroe.wednet.edu

Invitation from [Google Calendar](#)

You are receiving this courtesy email at the account moore.kendall@epa.gov because you are an attendee of this event.

To stop receiving future updates for this event, decline this event. Alternatively you can sign up for a Google account at <https://www.google.com/calendar/> and control your notification settings for your entire calendar.

Forwarding this invitation could allow any recipient to modify your RSVP response. [Learn More](#).

Any dissemination or use of this information by a person other than the intended recipient is unauthorized and may be illegal. If you have received this e-mail in error, please immediately notify us by return e-mail. All email to and from this domain is archived as a public record in compliance with federal and state requirements. As such they may be both discoverable in a legal action and available through a public records request.

--

Devlin Piplic

Director of Facilities

Monroe School District

200 East Fremont

Monroe, WA 98272

Office: 360.804.2679

Any dissemination or use of this information by a person other than the intended recipient is unauthorized and may be illegal. If you have received this e-mail in error, please immediately notify us by return e-mail. All email to and from this domain is archived as a public record in compliance with federal and state requirements. As such they may be both discoverable in a legal action and available through a public records request.